

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problems Mailbox.**

**This Page Blank (uspto)**

## PATENT ABSTRACTS OF JAPAN

(11)Publication number : 10-249090

(43)Date of publication of application : 22.09.1998

(51)Int.Cl.

D06F 35/00  
D06F 57/00

(21)Application number : 09-094305

(71)Applicant : KOBAYASHI TOSHIKO

(22)Date of filing : 07.03.1997


(72)Inventor : KOBAYASHI TOSHIKO

## (54) NET BAG USED BOTH FOR WASHING AND FOR DRYING

## (57)Abstract:

PROBLEM TO BE SOLVED: To dry laundry without staining it even on a windy day and in a small space and to perform use also as a net bag for a quilt cover, a sheet and general laundry by providing an opening and closing part other than the opening and closing part provided in a conventional net bag for the laundry.

SOLUTION: Other than the opening and closing part 2 provided in the conventional net bag 1 for the laundry, the opening and closing part 3 is provided and the opening and closing part 3 is provided with a fastener similarly to the conventional opening and closing part 2. By such constitution, at the time of using this bag for washing, the fastener of the opening and closing part 3 is closed, the fastener of the opening and closing part 2 is opened, the laundry is put in, the fastener of the opening and closing part 2 is closed and washing is performed. At the time of using it for drying, the fasteners of the opening and closing parts 2 and 3 are opened, a white shirt or a blouse, etc., 5 is hung to a hanger and passed inside the net bag 1 from the opening and closing part 2 and the hook of the hanger 6 is put out to the upper part of the opening and closing part 3.



## LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C): 1998.2003 Japan Patent Office

\* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

CLAIMS

---

[Claim(s)]

[Claim 1] It dries with an object for wash which the closing motion section (2) was prepared by the conventional string bag for wash (1), and also prepared the closing motion section (3), and is a combination string bag for things.

---

[Translation done.]

## \* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

DETAILED DESCRIPTION

---

## [Detailed Description of the Invention]

[0001]

[Industrial Application] This invention also dries a windy day with the object for wash which prevents a long-sleeved shirt's and a long-sleeved blouse's touching the balustrade and door pocket of a veranda, and aperture glass, and becoming dirty, and relates to the combination string bag for things.

[0002]

[Description of the Prior Art] If the long-sleeved shirt and long-sleeved blouse which washed on the day windier than before are hung out to dry on a narrow veranda etc., it shakes greatly right and left, and a wash thing will touch the balustrade and door pocket of a veranda, and aperture glass, and will become dirty.

[0003]

## [Problem(s) to be Solved by the Invention]

When the long-sleeved shirt and long-sleeved blouse which washed on 1 and a windy day were hung out to dry, it shook greatly right and left, and since the sleeve and the skirt of a shirt touched the balustrade and door pocket of a veranda, aperture glass, etc. and became dirty, washing had to be carried out twice.

This invention is made in order to solve the above defect.

[0004]

[Means for Solving the Problem] Hang on a hanger a shirt and a blouse which washed by using the closing motion section (2) and a fastener of (3) as a opening, it is made to pass through inside of a string bag upwards from a portion of (2), a hook of a hanger (6) is taken out to the upper part of the closing motion section (3), and a fastener of the closing motion section (2) is closed. This invention is dried with an object for wash which consists of the above configuration, and is a combination string bag for things.

[0005]

[Function] When using this invention for wash, the washing is put into a string bag (1), the closing motion section (2) and the fastener of (3) are closed, and it washes with a washer. When drying this invention and using it for things, use the closing motion section (2) and the fastener of (3) as a opening, hang WAISHATSU and a blouse on a hanger, it is made to pass through the inside of a string bag upwards from the closing motion section (2), the hook of a hanger (6) is taken out to the upper part of the closing motion section (3), and the fastener of the closing motion section (2) is closed.

[0006]

[Example] Hereafter, the example of this invention is described.

The closing motion section (3) other than the closing motion section (2) prepared in 1 and the conventional string bag for wash (1) is prepared.

RO and the closing motion section (3) form a fastener like the conventional closing motion section (2).


This invention consists of the above configuration. When using this invention for wash, the fastener of the closing closing motion section (2) is used as a opening for the fastener of the closing motion section (3), the washing is put in and closing wash is carried out for the fastener of (2). When drying this invention and using it for things, use the fastener of (2) and (3) as a opening, hang a shirt and a blouse on a hanger, it is made to pass through the inside of a string bag from the closing motion section (2), and the hook of a hanger (6) is taken out to the upper part of the closing motion section (3).

[0007]

[Effect of the Invention] It can dry by using this invention, without soiling the washing also in a windy day or a narrow location. It can be used also as a quilt cover, a sheet, and a common string bag for wash.


[Translation done.]

Drawing selection Representative drawing




[Translation done.]

Drawing selection drawing 2



[Translation done.]


Drawing selection drawing 3



[Translation done.]



Drawing selection drawing 4



[Translation done.]

**This Page Blank (uspto)**